

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S101	1	S98 and (analyz\$3 or snoop\$3 or monitor\$3 or passive\$2 adj listen\$3) adj5 bus same (((stor\$3 or writ\$3) near5 buffer) or buffering) near5 bus and (@AD < "20010602" or @RLAD < "20010602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 18:29
S104	44	(snoop\$3 or passive adj3 monitor\$3) with bus with (command or (read\$3 or writ\$3)) and (backup or duplicate or replicate or mirror\$4) near3 (data) and (@AD < "19991111" or @RLAD < "19991111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 10:08
S106	10	S104 and (snoop\$3 or passive adj3 monitor\$3) with bus with (command or (read\$3 or writ\$3)) same (buffer\$3 or queue or FIFO) and (mirror\$4) near3 (data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 10:27
S107	46	(snoop\$3 or passive adj3 monitor\$3) with bus with (command or (read\$3 or writ\$3)) and (backup or duplicate or replicate or mirror\$4) near3 (data) and (@AD < "20000809" or @RLAD < "20000809")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 10:08
S108	11	S107 and (snoop\$3 or passive adj3 monitor\$3) with bus with (command or (read\$3 or writ\$3)) same (buffer\$3 or queue or FIFO) and (mirror\$4) near3 (data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 10:08
S109	13	(snoop\$3 or passive\$2 near5 (listen\$3 or detect\$3 or monitor\$3)) with bus with (command or (read\$3 or writ\$3)) same (buffer\$3 or queue or FIFO) and (mirror\$4) near3 (data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 10:42
S110	1	S108 not S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 10:29
S111	3	S109 not S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 10:43

S11 2	16320	(backup or duplicate or replicate or mirror\$4) near3 (data or site or node or server or system or computer or station or database or file).ti.ab. and (@AD < "19991111" or @RLAD < "19991111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 10:33
S11 3	6	S112 and (snoop\$3 or passive\$2 near5 (listen\$3 or detect\$3 or monitor\$3)) with bus with (command or (read\$3 or writ\$3)) same (buffer\$3 or queue or FIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 10:43
S11 4	24	S112 and (snoop\$3 or (listen\$3 or detect\$3 or monitor\$3)) with bus with (command or (read\$3 or writ\$3)) same (buffer\$3 or queue or FIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 10:51
S11 5	10	S114 and mirror\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 10:44
S11 6	5	S115 not S109	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 10:44
S11 7	0	(mirror\$3 or backup) near10 (data or file) and (snoop\$3 or (listen\$3 or detect\$3 or monitor\$3)) adj5 bus with (command or (read\$3 or writ\$3)) adj10 stor\$3 adj5 (buffer\$3 or queue or FIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 10:55
S11 8	68	(mirror\$3 or backup) near10 (data or file) and (snoop\$3 or listen\$3 or detect\$3 or monitor\$3 or detect\$3) adj5 bus and (command or (read\$3 or writ\$3)) adj10 stor\$3 adj5 (buffer\$3 or queue or FIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 10:54
S11 9	0	S118 and (mirror\$3 or backup) near10 (data or file) and (snoop\$3 or listen\$3 or detect\$3 or monitor\$3 or detect\$3) adj5 bus with (command or (read\$3 or writ\$3)) adj10 stor\$3 adj5 (buffer\$3 or queue or FIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 10:54
S12 0	48	S118 and (@AD < "19991111" or @RLAD < "19991111")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 11:24

S12 1	41	S120 and stor\$3 near15 (command or (read\$3 or writ\$3)) adj10 (buffer\$3 or queue or FIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 11:04
S12 2	10	S120 and stor\$3 near15 (command) adj5 (buffer\$3 or queue or FIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 11:02
S12 5	0	S120 and stor\$3 adj5 block adj2 (number or address) adj5 (buffer\$3 or queue or FIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 11:00
S12 6	2	S120 and stor\$3 near15 block adj2 (number or address) adj5 (buffer\$3 or queue or FIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:34